

C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

<u>TEST</u>	RESULT	<u>UNIT</u>	BIOLOGICAL REF RANGE	TEST METHOD
Glucose - FBS & PLBS				
Sample Type	: PLASMA - NaF			
Blood Glucose - Fasting	: 97	mg/dl	70 - 110	GOD-POD
Blood Glucose - Post Prandial	: 110	mg/dl	100 - 140	GOD-POD

Glycosylated Hemoglobin (GHb/HBA1c)

Sample Type : WB - EDTA

Glycosylated Hemoglobin (GHb/HBA1c) : 5.3 % 4.8 - 6.0 : Non Diabetic

6.0 - 7.0 : Good Control 7.0 - 8.0 : Weak Control More than 8 : Poor Control Biorad D10 HPLC

Glycosylated hemoglobin (hemoglobin A1c, HbA1c, A1C, or Hb1c; sometimes also HbA1c) is a form of hemoglobin used primarily to identify the average plasma glucose concentration over prolonged periods of time. It is formed in a non-enzymatic pathway by hemoglobin's normal exposure to high plasma levels of glucose. Glycation of hemoglobin has been associated with cardiovascular disease, nephropathy and retinopathy in diabetes mellitus. Monitoring the HbA1c in type-1 diabetic patients may improve treatment. HbA1c is a weighted average of blood glucose levels during the preceding 120 days, which is the average life span of red blood cells. A large change in mean blood glucose can increase HbA1c levels within 1-2 weeks. Sudden changes in HbA1c may occur because recent changes in blood glucose levels contribute relatively more to the final HbA1c levels than earlier events. For instance, mean blood glucose levels in the 30 days immediately preceding blood sampling contribute 50% to the HbA1c level, whereas glucose levels in the preceding 90-120 day period contribute only 10%. Thus, it does not take 120 days to detect a clinically meaningful change in HbA1c following a significant change in mean plasma glucose level.

METHOD: Ion Exchange Chromatography High performance liquid chromatography(HPLC)

INSTRUMENT: D -10 Bio-Rad Laboratories;FRANCE



TEST

TSH (Thyroid Stimulating Hormone)

ADVANCE DIAGNOSTICS CENTRE

C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

RESULT

: 7.53

INVESTIGATION REPORT

HEALTH PROFILE

UNIT

μIU/mL

TSH (Thyroid Stimulating Hormone)

Sample Type : SERUM

0.46 - 8.1 : 1mon-5 Yrs

: Adults

0.37 - 4.8

BIOLOGICAL REF RANGE

TEST METHOD

Fully Automated

Roche E411 (ECL)

0.52 - 16.0 : 1 - 30 Days

Thyroid-stimulating hormone (TSH, thyrotropin) is a glycoprotein having a molecular weight of approx. 30,000 daltons and consisting of two subunits. The beta-subunit carries the TSH-specific immunological and biological information, whereas the alpha-chain carries species-specific information and has an identical amino acid sequence to the alpha-chains of LH, FSH and hCG. TSH is formed in specific basophil cells of the anterior pituitary and is subject to a circardian secretion sequence. The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH has a stimulating action in all stages of thyroid hormone formation and secretion; it also has a proliferative effect. The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. Roche Cobas TSH employs monoclonal antibodies specifically directed against human TSH. The antibodies labeled with ruthenium complex* consist of a chimeric construct from human and mouse-specific components. As a result, interfering effects due to HAMA (human anti-mouse antibodies) are largely eliminated.

метнор: One-step sandwich and competitive FEIA

INSTRUMENT: TOSHO AIA-360 JAPAN



C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

TEST	RESULT	<u>UNIT</u>	BIOLOGICAL REF RANGE	TEST METHOD
LFT (Liver Function Test)				
Sample Type	: SERUM			
Bilirubin Total	: 0.82	mg/dl	Adults : 0.1 - 1.2 New born : 0.1 - 12.6	Diazoted Sulfanilic
Bilirubin Direct	: 0.35	mg/dl	Upto 0.4	Diazoted Sulfanilic
Bilirubin Indirect	: 0.47	mg/dl	0.3 - 1.0	
Aspartate Amino Transferase (SGOT)	: 21.0	U/L	Upto 41	IFCC without pyridoxal phosphate
Alanine Amino Transferase (SGPT)	: 24.9	U/L	Upto 40	IFCC without pyridoxal phosphate
Alkaline Phosphatase	: 94.0	U/L	1 month to 9 yrs : 82 - 383 10 yrs to 15 yrs : 42 - 390 16 yrs to 18 yrs : 52 - 171 Adults : 53 - 141	Diethanolamine buffer
Serum Protein	: 7.4	gm/dl	6.0 - 8.3	Biuret
Serum Albumin	: 4.6	gm/dl	3.5 - 5.2	Bromocresol green
Serum Globulin	: 2.8	gm/dl	2.5 - 3.5	
Alb/Glo Ratio	: 1.64		1-2	

LFT: Liver Function tests are a measurement of blood components that provide a lead to the existence, the extent and the type of liver damage.

BILIRUBIN: Bilirubin levels may rise due to hemolysis, failure of conjugating mechanism in the liver, obstruction in the biliary system.

ALKALINE PHOSPHATASE: *Increase in ALP activity is an index of cholestasis, a blockage of bile flow. *Increase may also occur in infiltrative diseases of the liver and cirrhosis

TRANSAMINASES (AST & ALT): *The serum transaminases activities are a measure of the integrity of liver cells. *They are elevated in acute damage to hepatocytes irrespective of etiology. *The causes include – hepatitis, toxic injury, drug overdose, shock, severe hypoxia.

SERUM TOTAL PROTEINS: A decrease in serum total proteins indicates a decrease in the liver's synthetic capacity and thus indicates the severity of the liver disease.

METHOD: Spectrophotometry

INSTRUMENT: BS-400 Fully Automated Chemistry Analyser



C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

<u>TEST</u>	RESULT	<u>UNIT</u>	BIOLOGICAL REF RANGE	TEST METHOD
Lipid Profile				
Sample Type	: SERUM			
Cholesterol Total	: 174.7	mg/dl	Desirable : < 200 Moderate Risk : 200 - 239 High Risk :> 240	CHOD-PAP
Cholesterol HDL	: 44.2	mg/dl	Desirable : > 37 Moderate Risk : 25 - 37 High Risk : < 12 - 18	Direct Clearance
Cholesterol LDL	: 98.18	mg/dl	Desirable : < 130 Moderate Risk : 130 - 159 High Risk :> 160	Direct Clearance
Cholesterol VLDL	: 32.32	mg/dl	6 - 40	
Triglycerides	: 161.6	mg/dl	< 160 : Normal 160 – 400 : Slightly Elevated 400 – 600 : Elevated > 600 : Highly Elevated	GPO
T.Chol / HDL Chol Ratio	: 3.95		2.9 - 5.1	
LDL / HDL Ratio	: 2.22		1.7 - 3.5	

NOTE: Lipid Profile RANGES AS PER NCEP-ATP III are:

Serum cholesterol (Total):

Desirable : < 200 mg/dl, Borderline : 200 - 239 mg/dl, Elevated : >/= 240 mg/dl

Serum high density lipoprotein cholesterol(HDL) :

Desirable : > 60 mg/dl, Borderline : 40- 60 mg/dll, Elevated : 40 mg/dl

Total cholesterol : HDL cholesterol ratio :

Low risk : 3.3-4.4, Average risk : 4.4-7.1, Moderate risk : 7.1-11.0, High risk : >11.0

Serum low density lipoprotein (LDL) cholesterol :

Desirable: 100 mg/dl, Borderline: 100- 159 mg/dll, Elevated: >/= 160 mg/dl

Triglycerides :

Desirable : 150 mg/dl, Borderline : 150- 199 mg/dll, High : 200 - 499 mg/dl, Very High : >/= 500 mg/dl

HDL measurement done by Direct HDL clearance method (CDC approved).

As per the Friedwald Equation, VLDL & LDL values are not applicable for triglyceride values above 400 mg/dl.



C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

<u>TEST</u>	<u>RESULT</u>	<u>UNIT</u>	BIOLOGICAL REF RANGE	TEST METHOD
RENAL FUNCTION TEST				
Sample Type	: SERUM			
Blood urea	: 20.1	mg/dl	10-40	Urease UV
Serum Creatinine	: 0.81	mg/dl	0.6-1.4	Alkaline Picrate
Blood Urea Nitrogen	: 9.39	mg/dl	7-21	
Serum Sodium	: 138	mmol/L	136-145	ISE
Serum Potassium	: 5.05	mmol/L	3.5-5.1	ISE
chloride	: 102.3	Meq/L	96-106	

--- End Of Report ---

Sample Registered On 05/08/2022 09:15AM

Report Released On : 05/08/2022 06:17PM

Sample Barcode :

Checked By:duwash

Dr. VANDANA CHANDANI



C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

TEST RESULT UNIT BIOLOGICAL REF RANGE TEST METHOD

CUE (Complete Urine Examination)

Sample Type : URINE

PHYSICAL EXAMINATION:

Color : Pale Yellow

Appearence : clear

Reaction (pH) : 5.6 4.8-7.6 Specific Gravity : 1.015 1.002-1.030

CHEMICAL EXAMINATION:

Proteins : Absent Sugar : Absent

MICROSCOPIC EXAMINATION:

Pus (WBC) Cells : 1-2 /hpf
Epithelial Cells. : 1-2 /hpf
R.B.C : Absent
Casts : Absent
Crystals : Absent

--- End Of Report ---

Sample Registered On : 05/08/2022 09:15AM

Sample Received On : 05/08/2022 09:21AM

Report Released On : 05/08/2022 01:10PM

Sample Barcode: Checked By:duwash

Dr. VANDANA CHANDANI



C1-C2/17A, NEAR NIHARIKA TALKIES KORBA- 495677 PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH 49 Years / Male Reg No. : 19226

Ref. By : . SELF Reg. Date : 05/08/2022 09:15AM

Address : Collected At : MedZone Center

INVESTIGATION REPORT

HEALTH PROFILE

TEST RESULT UNIT TEST METHOD

Blood Grouping (A,B,O) and Rh factor

Sample Type : WB - EDTA

Blood Group : "B"
Rh(D) Type : POSITIVE

CBP (Complete Blood Picture)

Sample Type : WB - EDTA

 Haemoglobin
 : 15.3
 gm%
 12.0 - 18.0

 Total Erythrocyte Count
 : 5.55
 M/cmm
 4.0 - 6.2

 Hemotocrit (PCV)
 : 47.4
 Vol %
 35.0 - 50.0

 Mean Corpuscular Volume
 : 85.4
 fL
 80 - 100

 Mean Corpuscular Hemoglobin
 : 27.6
 PG
 26 - 34

: 5190

 Mean Corpuscular Hemoglobin
 : 27.6
 PG
 26 - 34

 MCHC
 : 32.3
 g/L
 31 - 35

 RDW
 : 13.4
 %
 11.5 - 14.5

Total Leucocyte Count. **DIFFERENTIAL COUNT:**

Neutrophils : 44 % 40 - 75

Cell Counter Lymphocytes. : 45 % 20 - 40 2 - 10 Cell Counter Monocytes. : 06 % 1 - 6 Cell Counter : 05 Eosinophils % Cell Counter **Basophils** : 0 0 - 1 %

/cumm

Platelet Count : 88000 /cmm 150000 - 450000

No large platelets or aggregates seen on smear exam..

4000 - 11000

ESR (Erythrocyte Sedimentation Rate)

Sample Type : PLASMA -Na Citrate

ESR (Erythrocyte Sedimentation Rate) : 08 mm/hr 0 - 15 :1st Hour Sedimentation me

Cell Counter



C1-C2/17A, NEAR NIHARIKA TALKIES **KORBA-495677** PH-09228333 MOBILE-9300888178

NAME : MR BRIJ BHSUHAN SINGH Years / Male Reg No. : 19226

Ref. By : 05/08/2022 09:15AM :. SELF Reg. Date

Collected At: MedZone Center Address

--- End Of Report ---

Sample Registered On

: 05/08/2022 09:15AM Sample Received On

: 05/08/2022 09:21AM

Report Released On

: 05/08/2022 07:13PM

Sample Barcode:

Checked By:duwash

Dr. VANDANA CHANDANI